

### **CONTENTS**





### **KITCHEN**

6

Kitchen Ware	6
Kitchen Aids	14
Kitchen Scales	20



### **BATHROOM**

36

Body Analyser Scales	36
Bathroom Scales	40
Mechanical Bathroom Scales	48



### LIFE

50

Wellbeing	50
Time	54
Climate	60



### For little and big darlings: Family things from snuutje.

From joyful hanging nests to your favourite alarm clock – beautiful and practical things with much sense of family can also be found in the snuutje brochure 2020. New on board: our sleep trainer for the little ones.

**85 YEARS** ANNIVERSARY SCHNELLWAR Danies ! 29. Tel 434532





# Precision is our goal. Our customers are the benchmark.

As a factory for steelyard scales and slicing machines, ADE started in turbulent times in St. Pauli – in the heart of Hamburg. Shop owners and merchants come one after the other, first-class service is the specialty.

Today, ADE Germany GmbH is an international manufacturer and partner for hotels and restaurants as well as customers in the medical and consumer goods sector. Our profession is precision – represented not only by our scales, slicing machines and kitchen appliances, but also by measuring instruments for the medical sector or weather stations for daily use at home.

With great passion we develop and produce products since 1935, which meet our expectations and benchmark: well thought through, solid and absolutely precise. You can rely on it sightlessly, at any time and with every move. 85 years of experience have taught us one thing above all: Special are often things that accompany us every day and the people with whom we achieve our daily goal together.

Our conviction was and still is: Staying on due course, even against the current, always thinking one step ahead – for you, our customers. To this we are bound by our tradition as a brand manufacturer, but above all by your trust in us.

FOR THIS WE THANK YOU!







## Perfectly prepared!

### INSPIRED BY PROFESSIONAL CHEFS

85 years of know-how – ADE started as a reliable partner for the hotel and catering business, developed slicing machines and scales for professional demands. In close cooperation with chefs, an assortment was created that is growing year by year.

In 2020, in addition to our gourmet version of the electric food slicer, the portfolio will be enriched by an entry-level model for demanding private households.

Whether professional or private kitchen: our products combine quality with userfriendliness and offer the best conditions for effortless cooking! Fresh ingredients, preferably regional and seasonal, are more important than ever before, because good and healthy nutrition has long been more than just a trend.

The ADE product range comprises many practical kitchen assistants that are required when preparing delicious food. From uni-

waffle and sandwich maker: fluffy Belgian
waffles and individually composed sandwiches for every taste.

as
ar.

7

versal cutters to citrus juicers. The youngest

member of the kitchen aid family is the 2-in-1



Enjoy fresher

Our multi-slicers bring a little more enjoyment to the kitchen every day. Whether bread, cold cuts or vegetables - freshly sliced food just always tastes better!





Compact and versatile – with two knives for the daily portion of freshness

CASING	ABS plastics; feed plate / carriage aluminium; knife stainless steel
OPERATION	twist grip, toggle switch (safety moment and continuous switch)
FUNCTIONS	compact, handy design; incl. 2 knives (serrated and smooth) made of stainless steel; screw cap for easy knife removal for cleaning or changing of knives without additional tools; aluminium blade; smooth-running food carriage (removable); stainless steel knives; collection tray for cut product; finely adjustable cutting thickness 0 – 23 mm; firm stand thanks to

KNIFE DIAMETER Ø 170 mm

ROUND / SQUARE CUTTING SURFACE

Ø 145 mm / 180 x 145 mm

WEIGHT	POWER	SIZE IN MM
2.72 kg	100 watts	368 x 252 x 259







Smooth knife ideal for ham, roast meat, etc.



Serrated knife ideal for bread, cheese, vegetables, etc.



#### **ELECTRIC FOOD SLICER**

Perfect slices – from Parma ham to cheese, wafer-thin or finger-thick

CASING aluminium, painted "milan white"

OPERATION grip, knob, press buttons

FUNCTIONS air-cooled, brush-free motor; easy slides (foldable) with large food tray; blade drive with double ball bearings; profiled multi-use blade made of special steel; set different widths:

0–15 mm; integrated grinding apparatus; blade protection sickle; protection for hands and thumbs with safety holder;

KNIFE DIAMETER Ø 220 mm

ROUND /
SQUARE CUTTING
SURFACE

Ø 220 MM

Ø 140 mm / 170 x 140 mm

firm stand with rubber feet

 WEIGHT
 POWER
 SIZE
 FOOTPRINT

 IN MM
 IN MM
 IN MM

 11 kg
 140 watts
 345 x 480 x 335
 265 x 404





KA 1806 milan white



The integrated, pre-set knife sharpener means ideal slices at the press of a button.

The **double ball-bearing mounted blade drive** means the blade runs evenly and quietly – even when cutting delicate foods, each slice is whole.

The **multi-use blade** is made from hard chrome-plated special steel with a two-level profile that minimises contact between the blade and the food.

- The blade doesn't warm up − this protects the food's aroma
- Nothing gets stuck: perfect slices without sticking or ripping.



### All-round talent

With the meat grinder, we launch our taste campaign for culinaric pleasure – for delicious lasagne and crispy kofta. Self-processed fresh ingredients are inimitably delicious, whether as minced meat, sausage or shortbread biscuits.



### **ELECTRIC MEAT GRINDER**

Powerful and versatile – 2,000 watts of peak power in a first-class aluminium casing

CASING	aluminium, black lacquered		
OPERATION	rotary knob, bayonet cap		
FUNCTIONS	powerful reversible motor; two adjustable speed levels; two-piece cutting set consisting of a knife and a perforated disc; firm footing using four rubberised feet (the rear two as suction cups)		
ACCESSORIES	rammer, 3 perforated discs (3, 5 and 8 mm), sausage spout, kebbe attachment, pastry attachment		
NOMINAL/ MAXIMUM OUTPUT	MEAT OUTPUT	SIZE IN MM	WEIGHT
800 / 2,000 watts	2.5 kg / min.	370 x 195 x 320	5.9 kg







### **ELECTRIC GRATER**

Crushing without pre-cutting – ideal for vegetables, fruits, hard cheese or nuts

CASING	stainless steel and ABS plastics		
OPERATION	press button, bayonet cap		
FUNCTIONS	slicing, rasping, grating different foods (e.g. hard cheese, nuts, carrots, apples, cucumbers, etc.); non-slip footing using rubberised feet; integrated cable rewind		
ACCESSORIES	four drum inserts (fine grater, fine rasp, coarse rasp, fine edge), rammer		
NOMINAL/ MAXIMUM OUTPUT	SIZE IN MM	WEIGHT	
200 / 500 watts	205 x 150 x 283	1.48 kg	





### **ELECTRIC JUICE AND CITRUS PRESS**

Start your day right – with freshly-pressed juice

CASING	motor unit made from stainless steel and ABS plastics, glass carafe		
CARAFE	glass, 1 l		
OPERATION	press the juicer ball (press sensor)		
FUNCTIONS	pressing citrus fruit (recommended for fruits like oranges, lemons, grapefruit, lemons, etc.); powerful motor with automatic start-stop and automatic left-right operation; sieve attachment to filter out pulp and seeds; juice spout container with drop stop; all parts can be taken apart for easy cleaning; dishwasher safe		
ACCESSORIES	2 juicing balls (small and large); juice spout container; sieve attachment; glass carafe with measurements (750 ml, 25 oz); transparent lid for protection from dust		
POWER	TOTAL WEIGHT	TOTAL SIZE IN MM	SIZE OF MOTOR UNIT IN MM
60 watts	2.19 kg	205 x 150 x 351	Ø 140 x 152





The **glass carafe** with delicious, fresh orange juice looks great on the lovingly laid Sunday breakfast table.





### **SMOOTHIE MAKER WITH** SPICE AND COFFEE GRINDER

Strong and multi-functional – grind, chop, purée and mix anything – from smoothie to pesto

CASING	stainless steel, ABS plastics		
OPERATION	push button		
FUNCTIONS	blending fruit and vegetables, mixing smoothies, shakes and juices; grinding, crushing and mixing; suitable for moist and dry food; grinding degree dependent of grinding time; firm footing using rubberised feet; integrated cable rewind		
FOUR-LEAVE BLADE	insert with four-leave blade suitable as attachment for drinking bottle and mug		
DRINK BOTTLE	drinking bottle "to go" with leak-proof flip-lid; tritan (BPA-free plastic), food-grade, 600 ml, weight 0.13 kg		
MUG	mug "mason jar" including screw lid with opening for a straw; glass / metall, 600 ml, dishwasher safe, weight 0.47 kg		
GRINDING CONTAINER	grinding container with a 2-fold beater knife, 300 ml, suitable for grinding and chopping dry food such as coffee, pepper, etc.; grinding container with a 4-fold universal knife, 300 ml, suitable for crushing and mixing fresh herbs, pesto, etc.; lid with silicone seal for tight sealing during grinding		
POWER	ROTATIONS SPEED	WEIGHT	
300 watts	27.000 RPM	5.03 kg	
SIZE OF MOTOR UNIT IN MM	MAX. TOTAL SIZE		
Ø 117 x 144	Ø 117 x 346		





### **ELECTRIC SPICE** AND COFFEE GRINDER

Technical specifications see "Smoothie Maker with spice and coffee grinder"

SCOPE OF DELIVERY	motor unit, grinding container "Duo", grinding container "Quattro", lid with silicone seal for tight sealing during grinding
SIZE TOTAL IN MM	WEIGHT
Ø 117 x 238	1.53 kg



KA 1805 stainless steel



### ACCESSORIES-SET "SMOOTHIE"

Supplement for base grinder KA 1805 to prepare smoothies & Co.

Technical specifications see

"Smoothie Maker with spice and coffee grinder"

SCOPE OF DELIVERY	insert with four-leave blade suitable as attachment for drinking bottle "to go" with leak-proof flip-lid and mug "mason jar" including screw lid with opening for a straw		
SIZE DRINKING	WEIGHT	SIZE MUG	WEIGHT
BOTTLE	DRINKING	IN MM	MUG
IN MM	BOTTLE		
Ø 75 x 250	0.13 kg	120 x 85 x 153	0.47 kg







#### 2-IN-1 WAFFLE AND SANDWICH MAKER

All-rounder for baking and toasting – for sweet and savoury snacks

CASING

ABS plastics

FUNCTIONS

interchangeable plates, preparation of waffles or sandwiches; plates with high quality non-stick coating for low-fat preparation and easy cleaning; thermostat for even distribution of heat; temperature indicator; locking system, vertical installation for space-saving storage; non-slip feet with cable winder; practical carrying handle

POWER

WEIGHT

SIZE IN MM

600 watts

1.19 kg

138 x 222 x 92



white



red



black










### KITCHEN AIDS





### **BBQ-THERMOMETER WITH** TWO TEMPERATURE PROBES

Perfect pleasure – cooking time and doneness points in view

CASING stainless steel and ABS plastics TEMPERATURE stainless steel, insertion depth 160 mm; PROBES heat-resistant cables, length of each cable 1 m DISPLAY/SIZE LCD touch colour display, backlit, 33 x 14 mm OPERATION touch, switch integrated timer function; acoustic temperature alarm **FUNCTIONS** when reaching the target temperature; selection of preset meats (beef, lamb, veal, pork, chicken, turkey, mince, fish) and core temperatures according to cooking levels or individual temperature specification; 5 cooking levels:

rare, medium rare, medium, medium well, well; magnetic

TEMPERATURE UNITS SIZE IN MM °C,°F -20°-250°C 90 x 74 x 26

suspension and foot







### REMOTE BBQ-THERMOMETER

Perfectly cooked with remote temperature control

CASING	ABS plastics		
TEMPERATURE PROBES	stainless steel, insertion depth of 160 mm, heat resistant cable, length of cable 1 m		
BASE STATION	LCD touch display, 80 x 53 mm		
OPERATION	touch		
RECEIVER	LCD, 20 x 12 mm, belt clip, LED receiving indicator light		
FUNCTIONS	visual and audible temperature alarm on the base station and receiver when the target temperature is reached; selection of preset meat types and core temperatures according to degrees of doneness or individual temperature settings on the base station; meat types: beef, lamb, veal, pork, chicken, turkey, mincemeat; 5 degrees of doneness: rare, medium rare, medium, medium well, well; transmission range 60 m		
TEMPERATURE	UNITS	SIZE BASE STATION IN MM	SIZE RECEIVER IN MM
-50°-300°C	°C,°F	107 x 79 x 45	77 x 45 x 19







### KITCHEN AIDS

### **BBQ-THERMOMETER**

Excellent steaks guaranteed – preset cooking levels lead to perfect results

CASING ABS plastics

TEMPERATURE stainless steel, insertion depth of 160 mm heat resistant cable, length of cable 1 m

DISPLAY/SIZE LCD touch colour display, illuminated, 50 x 50 mm

OPERATION touch

FUNCTIONS integrated timer function, audible temperature alarm when

the target temperature is reached; selection of preset meat types and core temperatures according to degrees of doneness or individual temperature settings; meat types: beef, lamb, veal, pork, chicken, turkey, mincemeat; 5 degrees of doneness: rare, medium rare, medium, medium well, well; stand and magnetic suspension

 TEMPERATURE
 UNITS
 SIZE IN MM

 -20° - 250 °C
 °C, °F
 76 x 76 x 25





The classic – accuracy well-done

CASING	stainless steel (SS340), heat resistant (0°– 300 °C)		
TEMPERATURE PROBES	stainless steel, insertion depth of 120 mm		
FUNCTIONS	display of core and oven temperature in °C; clip for mounting in the oven; clear dial with illustration of recommended core temperatures for poultry, pork, lamb, veal and beef		
TEMPERATURE MEAT	TEMPERATURE OVEN	UNITS	SIZE IN MM
55°-90°C	50°-300°C	°C	78 x 145







### MECHANICAL KITCHEN TIMER

Viewing quality – always precisely on the dot with a remaining time indicator

CASING	brushed stainless steel, ABS plastics, rubberised		
DISPLAY	round dial, time-remaining indicator		
OPERATION	wind-up mechanism		
FUNCTIONS	acoustic signal after elapsed time; red, clearly visible indi- cator for remaining time; convenient magnetic suspension		
TIME CDA DI IATIONI	LINUTS		



TD 1700

stainless steel

black

59 min.





Ø 78 x 31

TD 1702 stainless steel red

TD 1703 stainless steel white



Classic short-term timer with wind-up system

MECHANICAL KITCHEN TIMER

CASING	brushed stainless steel, ABS plastics		
DISPLAY	round dial		
OPERATION	wind-up mechanism		
FUNCTIONS	acoustic signal after elapsed time; convenient magnetic suspension		
TIME GRADUATION	UNITS	SIZE IN MM	
59 min.	min.	Ø 96 x 36	









### KITCHEN AIDS

### MECHANICAL KITCHEN TIMER

Good and proper – for perfect timing in kitchen and householdt

CASING	ABS plastics, rubberised		
DISPLAY	round dial, time-remaining indicator		
OPERATION	wind-up mechanism		
FUNCTIONS	acoustic signal after elapsed time; red, clearly visible indi- cator for remaining time; convenient magnetic suspension		

TIME GRADUATION UNITS SIZE IN MM 59 min. Ø 60 x 35 min.



green





red black





### FRIDGE AND FREEZER THERMOMETER

Freshness check – save electricity with the right settings

CASING	ABS plastics		
OPERATION	press buttons		
DISPLAY/SIZE	LCD, 46 x 35 mm		
FUNCTIONS	temperature indicator: °C and °F with MIN/MAX; simple to turn on and off (on/off button); stand, hang with a magnet, suction cup or hook		
TEMPERATURE	UNITS	SIZE IN MM	
- 20° – 60 °C	°C, °F	60 x 98 x 15	







### DIGITAL KITCHEN TIMER WITH TILT START

In the blink of an eye – classic timer function plus 3 preset countdowns

CASING ABS plastics DISPLAY/SIZE LCD,  $38 \times 38$  mm, white backlit OPERATION buttons, tilting FUNCTIONS time display; visual signal after the lapse of time, optional additional acoustic alarm and/or vibration alarm; start of preset countdowns (1/3/5 minutes) by tilting or programming individual timer time by pressing a button

UNITS SIZE TIME GRADUATION IN MM Ø 67 x 28 x 67 1/3/5 min. min./sec. 99 min./59 sec.









### **DIGITAL KITCHEN TIMER**

Flatscreen - the world's thinnest timer

CASING	ABS plastics, rubberised		
DISPLAY/SIZE	LCD, 82 x 32 mm		
OPERATION	press buttons		
FUNCTIONS	display time; acoustic signal after elapsed time; stopwatch function; convenient magnetic suspension		

TIME GRADUATION UNITS SIZE IN MM 99 min./59 sec. min./sec. 101 x 70 x 11













### **SHIRLEY**

#### Vintage for the kitchen – 50s-style bowl scale

BOWL	stainless steel, polished, 0.8 l		
DISPLAY/SIZE	highly readable full-view dial, Ø 95 mm		
OPERATION	mechanical		
FUNCTIONS	dishwasher-safe weighing bowl; massive weighing mechanism made of metal; manually adjustable zeroing (tare)		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	20 g	207 x 207 x 201	g, kg







KM 1900-2 red

KM 1900-3 black



### **ELECTRIC SALT AND PEPPER MILL**

The perfect seasoning – freshly ground at the push of a button

CASING	ABS plastics and stainless steel		
OPERATION	push button		
FUNCTIONS	infinite adjustment from fine to coarse; powerful electric motor for fast grinding throughput; durable ceramic grinder; grinder base lighting; transparent plastic filling bin; grinder lid		
SIZE IN MM	WEIGHT		
	0.25 kg		







KG 1900-2 red



KG 1900-3 black









With the **steplessly adjustable** degree of grinding and **automatic lighting**, seasoning to taste is easy and perfect.

### **ANNA**

Grand old lady – nostalgic scale with bowl in charming country house style with 8 kg weighing capacity

8 kg	50 g	Ø 245 x 283	g, kg	
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
FUNCTIONS	weighing bowl dishwasher-safe; massive metal weighing mechanism; manually adjustable zero position (tare function)			
OPERATION	mechanical			
DISPLAY/SIZE	clear full view dial, Ø 135 mm			
BOWL	polished stainless steel, 2.5 l			





### **TOSCA**

Chic in bowl – decorative stainless steel weighing bowl

BOWL	stainless steel, 2 l		
DISPLAY/SIZE	LCD, Ø 60 mm, blue lit		
OPERATION	push buttons		
FUNCTIONS	dishwasher-safe weighing bowl; tare function (tare); over- load indicator; battery level indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	248 x 290 x 140	g, ml, lb.oz, fl.oz







### **HANNA**

#### Splendid prospects for stainless steel – rust-free, hygienic and sustainable

BOWL	brushed stainless steel, 2.25 l		
DISPLAY/SIZE	LCD, 50 x 25 mm, blue lit		
OPERATION	sensor touch		
FUNCTIONS	weighing bowl dishwasher-safe; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	Ø 238 x 155	g, ml, lb.oz, fl.oz





### **ANGELINA**

#### Digital bowl scale – with extra large mixing bowl

BOWL	ABS plastics, 3 l		
DISPLAY/SIZE	LCD, 45 x 15 mm		
OPERATION	press buttons		
FUNCTIONS	weighing bowl dishwasher-safe; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	Ø 220 x 120	g, oz









### **FRANCA**

With one click – removable measuring cup for simultaneous weighing and measuring

MEASURING CUP	PP-plastics, 1 l		
DISPLAY/SIZE	LCD, 29 x 29 mm, in handle		
OPERATION	push buttons		
FUNCTIONS	Tare function (tare); additionally weighs the volume of liquids; overload indicator; battery level indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
3 kg	1 g	105 x 145 x 125	g, ml, fl.oz, lb.oz





### **REBECCA**

A clever connection – weighing station with measuring cup

MEASURING CUP	shatterproof polycarbonate, dishwasher safe, measuring scale (ml/cup), 1 l		
DISPLAY/SIZE	LED, 40 x 28 mm, red digits		
OPERATION	sensor touch		
FUNCTIONS	auto tare (automatic zeroing when setting up the measuring cup); tare function (tare); additionally weighs the volume of water and milk (ml/cup); suitable for weighing even without a measuring cup; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
3 kg	1 g	172 x 145 x 180	g, oz, ml, cup







### ANJA

Well rounded – stainless steel kitchen scale with temperature indicator

WEIGHING SURFACE	stainless steel			
DISPLAY/SIZE	LCD, 43 x 20 mm			
OPERATION	press buttons			
FUNCTIONS	ambient temperature indication in standby mode; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off			
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
5 kg	1 g	Ø 165 x 22	g, lb.oz	







### MILA

Compact and functional – easy care kitchen scale with convenient wall mounting

brushed stainless steel  LCD, 56 x 26 mm  press buttons  anti-fingerprint-coating; volume mode for water and milk; suspension device; add and weigh feature (tare function); overload indicator; battery level indicator; automatic power-off					
			GRADUATION	SIZE IN MM	UNITS
				LCD, 56 x 26 mm press buttons anti-fingerprint-co milk; suspension of function); overload	LCD, 56 x 26 mm  press buttons  anti-fingerprint-coating; volume momilk; suspension device; add and we function); overload indicator; battery



anthracite



### **LADINA**

#### For big tasks – king-size kitchen scale with 15 kg maximum load

WEIGHING SURFACE brushed stainless steel, size similar to DIN A4

DISPLAY/SIZE LED, 61 x 20 mm, mirrored, white digits

OPERATION sensor touch

FUNCTIONS anti-fingerprint-coating; add and weigh feature

anti-fingerprint-coating; add and weigh feature (tare function); auto-hold function; overload indicator; battery status indicator; automatic power-off

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 15 kg
 1g
 310 x 265 x 25
 g, oz, lb.oz





### **DENISE**

#### Smart stainless steel scale with extra-low profile: 10 mm only

1 g

WEIGHING SURFACE	brushed stainless steel		
DISPLAY/SIZE	LCD, 60 x 35 mm		
OPERATION	press buttons		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS

160 x 225 x 11



5 kg



### **CLEO**

#### One for all – simple and beautiful for every kitchen style

WEIGHING SURFACE	safety glass  LCD, 62 x 28 mm  press buttons  add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
DISPLAY/SIZE			
OPERATION			
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	188 x 218 x 18	g, ml, lb.oz, fl.oz





### **JULIA**

#### Cool and clean – hygienic glass surface in a clear design

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 53 x 25 mm		
OPERATION	sensor touch		
FUNCTIONS	tare function; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	230 x 150 x 20	g, ml, lb.oz, fl.oz







### **FRANZI**

#### Compact kitchen scale for private cooking workshops

DISPLAY/SIZE	safety glass		
	LCD, 58 x 27 mm		
OPERATION	press buttons  add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1g	182 x 178 x 23	g, ml, lb.oz, fl.oz






### **RAMONA**

#### Environmentally friendly beauty – scale surface made of real bamboo

WEIGHING SURFACE	bamboo		
DISPLAY/SIZE	LCD, 90 x 30 mm, blue lit		
OPERATION	sensor touch add and weigh feature (tare function); overload indi- cator; battery status indicator; automatic power-off		
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	180 x 230 x 20	g, ml, fl.oz, lb.oz









### **LEONIE**

#### Perfectly shaped – extremely flat plastic body, appearing seamless

WEIGHING SURFACE	ABS plastics		
DISPLAY/SIZE	LCD, 65 x 29 mm		
OPERATION	sensor touch add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	170 x 220 x 9	kg, g, oz, lb:oz





grey







### **ALESSA**

#### Metallic is trend – extremely flat scale in shimmering aluminium look

WEIGHING SURFACE	aluminium alloy		
DISPLAY/SIZE	LCD, 51 x 23 mm, blue lit		
OPERATION	sensor touch		
FUNCTIONS	tare function; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	200 x 151 x 11	g, kg, lb.oz, oz









### SLIM

#### Colourful kitchen scale of slender shape – only 12 mm in height

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 55 x 25 mm		
OPERATION	sensor touch add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	150 x 230 x 15	g, ml, lb.oz, fl.oz





### LILOU

The fantastic world of baking – young kitchen scale with a romantic design for trendy kitchens

WEIGHING SURFACE	safety glass  LCD, 65 x 28 mm  press buttons  add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
DISPLAY/SIZE			
OPERATION			
FUNCTIONS			
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	170 x 230 x 14	g, ml, lb.oz, fl.oz



KE 1501 coloured





### **JACKIE**

#### Glass scale with trendy lifestyle print – for more cosiness in the kitchen

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 46 x 23 mm		
OPERATION	sensor touch		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	145 x 200 x 17	g, ml, oz, lb.oz, fl.oz







### INKA

#### Glass scale with trendy lifestyle print – for more cosiness in the kitchen

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 46 x 23 mm		
OPERATION	sensor touch		
FUNCTIONS	add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
5 kg	1 g	145 x 200 x 17	g, ml, oz, lb.oz, fl.oz





### ENI

Spoon with a brain – dispense the smallest quantities to 0.1 gram precision

SPOON SCALES	ABS plastics		
DISPLAY/SIZE	LCD, 33 x 13 mm		
OPERATION	press buttons		
FUNCTIONS	spoon for weighing high-quality spices, fine herbs and tiny amounts; measuring scales in spoon for 15 – 45 ml/1 – 3 tablespoons; detachable spoon attachment; tare function; hold function; totalling function up to 3,000 g; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
300 g	0.1 g	65 x 250 x 30	g, oz / ml, tbsp









### **DIGITAL POCKET SCALE**

Small but capable – six weight units, with precise weight determination

WEIGHING SURFACE	brushed stainless steel		
DISPLAY/SIZE	LCD, 36 x 18 mm, blue lit		
OPERATION	press buttons		
FUNCTIONS	add and weigh feature (tare function); on/off switch for display illumination; overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
110 g	0.01 g	100 x 130 x 20	g, ct, gn, oz, ozt, dwt





Cover suitable as a weighing dish



### **LUGGAGE SCALES**

### **DIGITAL LUGGAGE SCALE**

Weighing without battery – thanks to environmentally friendly dynamo technology

CASING	ABS plastics		
DISPLAY	LCD, 24 x 20 mm		
OPERATION	press button		
FUNCTIONS	strap length 180 mm; automatic hold function; tare function; overload indicator; charging level indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
50 kg	50 g	148 x 33 x 40	kg, lb









The dynamo principle: simply shaking and weighing with kinetic energy – at any time.

### **DIGITAL LUGGAGE SCALE**

Weight in hand – elegant luggage scale with blue backlit display

CASING	stainless steel, ABS plastics		
DISPLAY/SIZE	LCD, 30 x 13 mm, blue lit		
OPERATION	press button		
FUNCTIONS	belt length 210 mm; automatic hold function; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off		
CAPACITY	GRADUATION	SIZE IN MM	UNITS
50 kg	100 g	147 x 30 x 46	g, kg, oz, lb









# Pleasant ambience

### PURE COMFORT

The bathroom has long since transformed from a pure functional room into an oasis of wellness!


Where you can find the portion of cosiness that turns a soothing bath or a refreshing shower into a relaxing break now and then.

The ADE personal and body analysis scales pick up on current bathroom trends and offer the right addition in terms of style and technology. Our range corresponds to diverse consumer preferences. While some simply want to control their weight,

others want information about body water, muscle gain, body fat percentage or the calculation of their BMI.

No compromises are made when it comes to precision, but every visual wish is ful-filled. Whether glass, marble or a nostalgic retro look, cosy hut magic with a dark wood look or sustainable bamboo wood: the right scale for every dream bathroom.





## **BODY ANALYSER SCALES**

#### **BARBARA**

Robust and sustainable – weighing surface made of FSC-certified bamboo

FUNCTIONS	automatic power-	,	ator;
OPERATION FUNCTIONS	tap-on technolog	y, sensor toucn r; battery status indic	ator
ODEDATION	*		
MEMORY SPACE	10 users	10 users	
CALCULATION	bone mass in pred	bone mass in precise 100 g steps	
ANALYSIS		body fat, body water and muscle mass in precise 0.1% steps	
DISPLAY/SIZE	LCD, 83 x 45 mm,	LCD, 83 x 45 mm, white digits	
WEIGHING SURFACE			





bamboo

#### **TABEA**

Pretty slim – extra flat body analyser scale: only 17 mm in height

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 74 x 35 mm	LCD, 74 x 35 mm	
ANALYSIS	, , ,	oody fat, body water and muscle mass in precise 0.1 % steps	
CALCULATION	,	bone mass in precise 100 g steps; daily calorie requirement (BMR)	
MEMORY SPACE	12 users		
OPERATION	step-on technolog	gy, sensor touch	
FUNCTIONS	overload indicato automatic power-	r; battery status indic off	ator;
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 17	kg, lb, st









Top rating from the "Stiftung Warentest" consumer research and testing organisation: Mark "Good".



#### **BODY ANALYSER SCALE**

With data management in our feel-good app FITvigo. More information see fitvigo.de

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, Ø 70 mm		
ANALYSIS	body fat, body wa	ater and muscle mass	in precise 0.1 % steps
CALCULATION	bone mass in precise 100 g steps, BMI*		
MEMORY SPACE	8 users		
OPERATION	step-on technolo	gy, sensor touch	
FUNCTIONS	reliable and rapid data transfer to the FITvigo App via Blue tooth; overload indicator; battery status indicator; automa power-off; bluetooth reach 10 m		2 11
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	310 x 310 x 24	kg, lb, st







\*Displayed and evaluated in conjunction with the FITvigo App.

#### **MALOU**

Precious and smart – seven vital values for better wellbeing


WEIGHING SURFACE	safety glass		
DISPLAY/ SIZE	LCD, 80 x 39 mm,	LCD, 80 x 39 mm, white digits	
ANALYSIS	body fat, body water and muscle mass in precise 0.1% increments		
CALCULATION	bone mass percentage in 100 g increments, BMR (calories needed), BMI		
MEMORY SPACE	10 users		
OPERATION	step-on technology, sensor touch		
FUNCTIONS	overload indicator, battery status indicator, automatic power-off		ator,
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	330 x 330 x 20	kg, lb, st





39

## **BATHROOM SCALES**





#### **KIRA**

Noble and environmentally friendly – weighing without battery

WEIGHING SURFACE safety glass DISPLAY/SIZE LCD, 60 x 35 mm OPERATION charge, step-on charging with dynamo principle; overload indicator; charge level indicator; automatic power-off **FUNCTIONS** CAPACITY GRADUATION SIZE IN MM UNITS 100 g 300 x 300 x 25 150 kg





kg, lb



Pretty eco-friendly – weighing surface made of genuine FSC-certified bamboo

WEIGHING SURFACE	bamboo wood		
DISPLAY/SIZE	LCD, 83 x 45 mm, illuminated		
OPERATION	tap-on technolog	tap-on technology	
FUNCTIONS	overload indicator	or; battery status ind r-off	icator;
CAPACITY	GRADUATION	SIZE IN MM	UNITS
150 kg	100 g	300 x 300 x 34	kg, lb, st





DOE

## **BATHROOM SCALES**

#### **HOLLY**

Hut magic for bathroom – weighing surface with a rustic wood look

 WEIGHING SURFACE
 safety glass with plastic coating

 DISPLAY/SIZE
 LCD, 72 x 31 mm

 OPERATION
 step-on technology

FUNCTIONS overload indicator; battery status indicator; automatic power-off

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 180 kg
 100 g
 300 x 300 x 20
 kg, lb, st







#### **YLVIE**

Transparent lightness – noble black and white with a glass weighing surface

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	LCD, 74 x 28 mm		
OPERATION	step-on technolog	step-on technology	
FUNCTIONS	overload indicato automatic power-	r; battery status indic off	ator;
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 18	kg, lb







#### **GINA**

Hello, I am speaking to you – talking bathroom scale with extra-high weighing capacity

WEIGHING SURFACE	safety glass
DISPLAY/SIZE	LCD, 75 x 30 mm
OPERATION	step-on technology
FUNCTIONS	announcement of weight via integrated loudspeaker, 5 languages: German, English, French, Spanish, Italian; overload indicator; battery status indicator; automatic power-off

CAPACITY	GRADUATION	SIZE IN MM	UNITS
250 kg	100 g	310 x 310 x 26	kg, lb





Also ideal for elderly people

#### **KATHARINA**

The Great – the extra-large XXL display will not miss a single gramme

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	XXL LCD, 106 x 91 mm		
OPERATION	step-on technolog	step-on technology	
FUNCTIONS	overload indicator automatic power-	; battery status indica off	ator;
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 23	kg, lb, st






Also ideal for elderly people

## **BATHROOM SCALES**

#### LINETTE

#### Elegant and precise – glass scales with BMI calculation

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	black LCD, 74 x 46	mm, white digits	
DATA	BMI		
MEMORY SPACE	12 users		
OPERATION	step-on technolog	gy, buttons on the sic	le
FUNCTIONS		tion in 50 g incremer cator; automatic pov	nts; overload indicator; ver-off
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	50 g	333 x 303 x 23	kg, lb, st







#### LILIAN

#### Classic and precise – glass scales with BMI calculator

WEIGHING SURFACE	safety glass		
DISPLAY/SIZE	white LCD, 74 x 46	6 mm, black digits	
DATA	BMI		
MEMORY SPACE	12 users		
OPERATION	step-on technolo	gy, buttons on the sid	de
FUNCTIONS		ation in 50 g increme icator; automatic pov	nts; overload indicator; ver-off
CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	50 g	333 x 303 x 23	kg, Ib







#### **AURORA**

#### Marble living trend – classic and elegant in white or black

WEIGHING SURFACE safety glass

DISPLAY/SIZE LCD, 73 x 28 mm

OPERATION step-on technology

FUNCTIONS overload and battery status indicator; automatic power-off

CAPACITY GRADUATION SIZE IN MM UNITS

180 kg 100 g 300 x 300 x 20 kg, lb, st



BE 1711 marble/white



BE 1712 marble/black





## **BATHROOM SCALES**

#### **LEEVKE**

FUNCTIONS

Classy – attractive bathroom scale with elegant silver surface and a weighing capacity of 180 kg

WEIGHING SURFACE	safety glass
DISPLAY/SIZE	LCD, 72 x 34 mm
OPERATION	step-on technology

overload and battery status indicator; automatic power-off

CAPACITY	GRADUATION	SIZE IN MM	UNITS
180 kg	100 g	300 x 300 x 16	kg, lb, st





#### **OLIVIA**

Energetic – glass scale with a classic transparent surface

GRADUATION

100 g

WEIGHING SURFACE	safety glass
DISPLAY/SIZE	LCD, 62 x 27 mm
OPERATION	step-on technology
FUNCTIONS	overload indicator; battery status indicator; automatic power-off

SIZE IN MM

280 x 280 x 24

kg, lb, st



180 kg





#### **SUKI**

OPERATION

Transparent lightness – futuristic construction under a glass weighing surface

WEIGHING SURFACE safety glass
DISPLAY/SIZE ED, 83 × 74 mm, black background with white digits

step-on technology

FUNCTIONS overload indicator; battery status indicator; automatic power-off

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 180 kg
 100 g
 300 x 300 x 17
 kg, lb





#### IRIS

DISPLAY/SIZE

Weighing with ambience – light up your weight

WEIGHING SURFACE	safety glass

OPERATION step-on technology round weighing surface; blue LED illumination of the inner weighing surface during weighing; overload and battery status indicator; automatic power-off

LED,  $\emptyset$  60 mm, illuminated, white digits

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 180 kg
 100 g
 Ø 330 x 27
 kg, lb





## **BATHROOM SCALES**

#### **VICTORIA**

#### Mechanical bathroom scale with nostalgic design

 ${\tt WEIGHING\ SURFACE}\quad {\tt robust\ metal\ body,\ scratch-resistant\ finish,\ non-slip\ rubberised}$ DISPLAY big and clear full view dial FUNCTIONS manually adjustable zero position

CAPACITY GRADUATION SIZE IN MM UNITS 136 kg 285 x 430 x 83 1 kg kg









#### NINA

#### Small and great – simple weight determination

1 kg

WEIGHING SURFACE ABS plastics DISPLAY easy to read partial view dial **FUNCTIONS** manually adjustable zeroing CAPACITY GRADUATION SIZE IN MM UNITS

270 x 242 x 45



130 kg





## Fresh classics

They are more popular than ever – mechanical bathroom scales are in fashion. Without batteries, but with lots of charm and fresh colours, they look good in any bathroom.







#### **FELICITAS**

Mechanical bathroom scale with eye catcher it's the lifted round dial

WEIGHING SURFACE stainless steel, non-slip rubberised

DISPLAY	lifted full view dia	lifted full view dial		
FUNCTIONS	manually adjustal	manually adjustable zero position		
CAPACITY	GRADUATION	SIZE IN MM	UNITS	
160 kg	1 kg	275 x 345 x 113	kg	



BM 702-1 mint





petrol







# Live Better

## OF LIGHT, AIR AND GOOD SLEEP



Leave the everyday hustle and bustle behind, catch your breath, relax, regain your strength at night and face your daily life filled with energy – in your own home this works best. That is why we have integrated products into our "Life" category that will simply do your personal balance good.


Picnic by the lake or better relax on the sofa? Our weather stations will help you decide! Hygrometers and air monitors provide information on the indoor climate and our air purifier ensures fresh and clean indoor air.

The aroma diffuser helps you relax with the perfect mixture of light and fragrance. And

the wake-up light not only ensures that you fall asleep relaxed, but also that you wake up gently. Speaking of waking up: In addition to various digital and mechanical alarm clocks, there is also a cool all-rounder that combines alarm clock, night light and bedside lamp.



### WELLBEING



#### **AROMA DIFFUSER**

Light and fragrance – inspiration and relaxation for the home and office

CASING

ABS plastics, wood look

OPERATION

press buttons, mains operation

CONTAINER

300 m

**FUNCTIONS** 

fine cold mist via high frequency vibrations; pleasant fragrance mist with the use of essential oils; two adjustable mist levels (continuous, interval); continuous operation or sleep timer (1, 3, and 6 hours); mood lighting (7 different colours) with adjustable light intensity in 2 levels and selectable colour change mode; automatic power-off when filling level is too low; mains adapter included

EFFECTIVE AREA

OPERATION TIME

SIZE IN MM

up to 30 m<sup>2</sup>

6-10 hours depending on the mist level Ø 168 x 130



HM 1902 white-wood



7 single colours or as automatic colour change



#### 5-FILTER AIR PURIFIER

Breathe easy – whilst impurities are filtered from your room air.

CASING	ABS plastics	
OPERATION	sensor touch, mains operation	
FILTER	pre-filter to protect against coarse dirt and dust particles; EPA (E11) and activated carbon filter to protect against fine dust, pollen and allergens; activated carbon filter against harmful or irritating gasses (ozone); integrated, adjustable UV-C lamp with ioniser eliminates micro-organisms (viruses, bacteria and fungus) and bad smells	
FUNCTIONS	three settings and a sleep timer (2, 4 and 8 hours); operates quietly: 30 dB (lowest setting / night mode) – 50 dB (highest setting); interchangeable 3-in-1 filter with filter change display, UV-C lamp, ioniser	
EFFECTIVE AREA	WEIGHT	SIZE IN MM
up to 12 m <sup>2</sup> / 30 m <sup>3</sup> air	1.17 kg	191 x 250 x 135







#### WAKE-UP LIGHT

Greet the day gently – wake up to a simulated sunrise, music or nature sounds

CASING	ABS plastics
DISPLAY/SIZE	LED, 51 x 36 mm, 4 brightness levels
OPERATION	press buttons, sensor touch, mains operation
FUNCTIONS	sun and moonrise simulation 30 minutes before acoustic alarm; alarm clock using preset radio stations or 6 natural sounds, with snooze function; FM reception with automatic station search; mood lighting (7 different colours) with adjustable light intensity; adjustable sleep timer for illumination (15, 30, 45, 60 minutes); perpetual calendar with date and day display (7 languages); USB cable and mains adapter included
TIME GRADUATION	SIZE IN MM
hours, minutes	170 x 124 x 160









### TIME



#### SMART 3-IN-1 ALARM CLOCK WITH LED LIGHT

Time is upside down – alarm clock, night light and bedside lamp in one

CASING ABS plastics with soft-touch surface DISPLAY/SIZE LCD, Ø 50 mm OPERATION push buttons, shake, turn over INSTRUMENTS

> 12/24 h display; alarm clock with dual alarm and snooze function, snooze function at the push of a button, shake or turn over; display illumination by pressing a button or by moving the alarm clock, 3 brightness levels, automatic power-off after 10 seconds; integrated light, dimmable - mobile night light or bedside lamp; function displays for alarm times, snooze and display illumination;

battery level indicator; USB charging cable included

TIME GRADUATION

SIZE IN MM hours, minutes 80 x 115 x 80

FUNCTIONS

CK 2012-1 pink







The dimmable LED light is automatically activated, when the alarm clock is upside down.

54



DIGITAL ALARM CLOCK WITH INDUCTION CHARGING FOR SMARTPHONES

Practical all-rounder with temperature display and alarm function

CASING	ABS plastics	
DISPLAY/SIZE	LCD, 132 x 46 mm	
OPERATION	push buttons, sensor touch	
INSTRUMENTS	S thermometer	
FUNCTIONS 12/24 h display; temperature display in °C or °F; permanent time display or alternating time and		

12/24 h display; temperature display in °C or °F; permanent time display or alternating time and temperature display; alarm clock with dual alarm and snooze function; wireless induction charging for smartphones; lighting with three brightness levels; mains adapter included

INDICATOR SIZE IN MM
hours, minutes 142 x 95 x 60





Here, the smartphone is charged while you sleep – without cables and

preferably turned off!



## DIGITAL ALARM CLOCK WITH TEMPERATURE DISPLAY

Practical all-rounder with snooze and weekend function

CASING	ABS plastics	
DISPLAY/SIZE	LCD, 81 x 43 mm	
OPERATION	push buttons, sensor touch	
INSTRUMENTS	thermometer	
FUNCTIONS	12/24 h display; temperature display in °C or °F; perpetual calendar with date and weekday display; alarm time display; alarm clock with snooze function and weekend mode; display illumination via sensor touch	

TIME GRADUATION SIZE IN MM hours, minutes 108 x 38 x 71







### TIME

## RADIO-CONTROLLED ALARM CLOCK WITH TEMPERATURE INDICATOR

Small and comfortable – dual-alarm with sensor snooze button

CASING	ABS plastics, bamboo wood		
DISPLAY/SIZE	LCD, 51 x 44 mm, white lit		
OPERATION	press buttons, sensor touch		
INSTRUMENTS	DCF radio signal, thermometer		
FUNCTIONS	12/24 hour time display; indoor temperature indicator; perpetual calendar with date and time indicators (7 languages); alarm clock with snooze function		e indicators
TIME GRADUATION	TEMPERATURE	UNITS	SIZE IN MM
hours, minutes	-10° – 50 °C	°C, °F	72 x 72 x 37





## RADIO-CONTROLLED ALARM CLOCK WITH TEMPERATURE AND DATE INDICATORS

126 x 87 x 40

Easy snoozing – thanks to an extra-large snooze button

-10° - 60 °C

CASING	ABS plastics, bamboo wood		
DISPLAY/SIZE	LCD, 128 x 44 mm, white lit		
OPERATION	press buttons		
INSTRUMENTS	DCF radio signal, thermometer		
FUNCTIONS	12/24 hour time display; indoor temperature indicator; perpetual calendar with date and time indicators; indication of lunar phases; alarm clock with snooze function; automatic and manual time setting		
TIME GRADUATION	TEMPERATURE	UNITS	SIZE IN MM



hours, minutes,

seconds





#### RADIO-CONTROLLED CLOCK WITH XXL DIGITS

Indication of lunar phases, temperature, and date included

CASING	ABS plastics, bamboo wood		
DISPLAY/SIZE	LCD, 165 x 93 mm		
OPERATION	press buttons		
INSTRUMENTS	DCF radio signal, thermometer		
FUNCTIONS	12/24 hour time display; indoor temperature indicator; perpetual calendar with date and time indicators; indication of lunar phases; alarm clock with snooze function; for hanging or standing		
TIME GRADUATION	TEMPERATURE	UNITS	SIZE IN MM
hours minutes	-10°- 60°C	°C °F	229 x 161 x 28





seconds

white-bamboo

#### XL RADIO WALL CLOCK WITH THERMOMETER/HYGROMETER

For a good view – high-contrast and extra-large display with illumination

CASING	ABS plastics		
DISPLAY/SIZE	LCD, 193 x 109 mm, backlit		
OPERATION	push buttons, sensor touch		
INSTRUMENTS	DCF radio clock, thermometer, hygrometer		
FUNCTIONS	12/24 h display; temperature display; perpetual calendar with date and weekday display (7 languages); alarm clock with dual alarm and snooze function; automatic and manual time setting; for hanging and standing installation		

UNITS

°C, °F

SIZE IN MM

225 x 33 x 145



hours, minutes, seconds

TIME GRADUATION TEMPERATURE

0°- 50°C



## TIME

### QUARTZ ALARM CLOCK WITH NIGHT LIGHT SENSOR

Night & day – a good start to your day with elegant black

CASING	ABS plastics
CLOCK FACE	minute division
TIME SETTING	manual
OPERATION	knob, slide switch
FUNCTIONS	light sensor for gentle dial illumination in the dark; quartz mechanism; whisper quiet sweep pointer; manual clock and alarm time setting; alarm ON/OFF via slide switch; alarm clock with snooze function;

silicone foot for secure stand

TIME GRADUATION

hours, minutes,

SIZE IN MM Ø 115 x 36

seconds



CK 1820 black





#### RADIO ALARM WITH TEMPERATURE INDICATOR

No more annoying ticking – thanks to the super silent sweep clockwork

CASING	ABS plastics	
CLOCK FACE	minute division	
DISPLAY/SIZE	LCD, 18 x 8 mm	
TIME SETTING	manual, automatic	
INSTRUMENTS	DCF radio clock, thermometer	
OPERATION	push buttons, sensor touch	
FUNCTIONS	indoor temperature and date display, alternating every 20 seconds; alarm clock with snooze function; automatic and manual time setting; alarm ON / OFF	

via slide switch; display illuminaton

TIME GRADUATION UNITS SIZE IN MM °C Ø 81 x 40 hours, minutes,



seconds

black





### QUARTZ ALARM CLOCK WITH NIGHT LIGHT SENSOR

Pretty maritime – whisper-quiet and softly lit

CASING	ABS plastics
CLOCK FACE	minute division
TIME SETTING	manual
OPERATION	knob, slide switch
FUNCTIONS	light sensor softly backlights the clock face in the

dark, nightlight button (duration 10 sec.); quartz mechanism; whisper quiet sweep pointer; set time and alarm manually; alarm ON/OFF with a sliding switch; alarm with snooze function; firm stand with silicone feet

TIME GRADUATION

SIZE IN MM

hours, minutes, seconds

Ø 105 x 38






CK 1/19 white

K 1719-1 blue





## **CLIMATE**





#### WEATHER STATION WITH RADIO-CONTROLLED RAIN GAUGE

Smart garden friend – rain measurement for optimal irrigation

BASE STATION	ABS plastics, battery operation, desktop model		
RAIN OUTDOOR SENSOR	ABS plastics, weatherproof, battery operation		
DISPLAY/SIZE	LCD display, 111 x 61 mm, backlit		
OPERATION	press buttons		
INSTRUMENTS	thermometer, rain gauge		
FUNCTIONS	measuring and display of the precipitation (current / today), calculating and history of the precipitation for 1 h / 24 h / 7 days / month / year and total precipitation; temperature display (indoor and outdoor / trend display / memory); radio clock with alarm and snooze functions; perpetual calendar; batteries included		
PRECIPITATION/ TEMPERATURE	UNITS WEATHER	STATION SIZE IN MM	RAIN OUTDOOR SENSOR SIZE IN MM
0 – 9999 mm -4° – 60 °C (outdoor)	mm/Inch °C/°F	150 x 95 x 43	180 x 110 x 130





0°-50 °C (indoor)

WS 1907 black

#### **WEATHER STATION** WITH WIRELESS OUTDOOR SENSOR

Smart and clear – large LED display and smartphone charging function included

WEATHER STATION

ABS plastics, with batteries and mains adapter, desktop and wall mounted model

OUTDOOR SENSOR

ABS plastics, weather-resistant, battery operation

TRANSMISSION

up to 60 m in an open area

RANGE

DISPLAY/SIZE

LED colour display, five brightness levels, 167 x 93 mm

OPERATION

press buttons

INSTRUMENTS

barometer, hygrometer, thermometer, DCF radio clock

FUNCTIONS

barometric weather forecast; barometric pressure indicator (12 h); temperature and hygrometer indicator (indoor and outdoor / trend indicators / memory function); indication of lunar phases; frost alert; temperature alert (outdoor); DCF radio clock with alarm and snooze function; outdoor sensor with indication of temperature and hygrometer; perpetual calendar (7 languages); coupling of up to 3 outdoor sensors; USB connection for smartphone charging; batteries and

mains adapter included

TEMPERATURE/ HUMIDITY

UNITS

SIZE WEATHER STATION IN MM

205 x 130 x 31

SIZE OUTDOOR SENSOR IN MM

50 x 97 x 32

-20°-60°C 20 - 95 %

°C, °F, RH (%), mb/hPa,

inHg/mmHg



WS 1704 black





### **CLIMATE**

#### **WEATHER STATION** WITH WIRELESS OUTDOOR SENSOR

At a glance – keep an eye on all important weather information

WEATHER STATION

ABS plastics, bamboo wood, with batteries and

OUTDOOR SENSOR

DISPLAY/SIZE

OPERATION

RANGE

INSTRUMENTS

**FUNCTIONS** 

mains adapter, desktop model

ABS plastics, weather-resistant, battery operation

up to 60 m in an open area

LED colour display, 125 x 80 mm, two brightness levels

press buttons

barometer, hygrometer, thermometer, DCF radio clock

barometric weather forecast; barometric pressure indicator (12 h); temperature and hygrometer indicator (indoor and outdoor / trend indicators / memory function); indication of lunar phases: frost alert: temperature alert (outdoor): DCF radio clock with alarm and snooze function; perpetual calendar (8 languages); batteries and mains adapter included

165 x 122 x 53

TEMPERATURE/ HUMIDITY

-20° - 60°C 20 - 95 %

UNITS

SIZE WEATHER STATION IN MM

SIZE OUTDOOR SENSOR IN MM

°C, °F, RH (%), mb/hPa,

inHg/mmHg

40 x 23 x 92







WS 1703 bamboo





WS 1914 with interchangeable frame black and walnut

## Frame change

Do you want something new? The weather station WS 1914, identical in construction to WS 1503 and WS 1703, with interchangeable frames makes every change of scenery easy with one click. Choose your favourite decor\* - done!





WS 1914 with interchangeable frame bamboo and mint





\* Various decors and colours only available for minimum order quantity.



Technology at its best

Always know what time it is, even at night? No turning round, getting up or groping around on the bedside table in the dark – the large LED projection turns the ceiling into an XXL display.





## WEATHER STATION WITH PROJECTION AND WIRELESS OUTDOOR SENSOR

Weather forecast plus thermo-hygrometer with LED ceiling projection

BASE STATION	ABS plastics, mains operation, desktop model
OUTDOOR SENSOR	ABS plastics, battery operation
RANGE	60 m in an open area
DISPLAY/SIZE	backlit LCD display, 94 x 63 mm, three brightness levels, additional projection display
OPERATION	press buttons

animated weather forecast; humidity and temperature display (indoor and outdoor / trend display); radio clock with dual alarm and snooze function; perpetual calendar; 180° rotatable projection display; batteries and mains adapter included

hygrometer, thermometer, DCF radio clock

TEMPERATURE/ HUMIDITY	UNITS	BASE STATION SIZE IN MM	OUTDOOR SENSOR SIZE IN MM
-0° – 50 °C	°C, °F, RH (%)	168 x 99 x 39	93 x 40 x 23
20 - 95 %			







INSTRUMENTS

**FUNCTIONS** 

### **CLIMATE**



## AIR QUALITY MONITOR WITH THERMO- / HYGROMETER

On the safe side – display of CO<sub>2</sub> and pollution levels (TVOC)

CASING ABS plastics

DISPLAY/SIZE LCD display, 63 x 57 mm

OPERATION press buttons, sensor touch

INSTRUMENTS hygrometer, thermometer, swiss pollutant sensor

FUNCTIONS display of CO<sub>2</sub> levels, pollution levels (TVOC), air humidity and temperature (indoor); comfort display based on

various icons; batteries included

CO<sub>2</sub> LEVELS/ POLLUTION LEVELS/ TEMPERATURE/ HUMIDITY UNITS SIZE IN MM

400 – 60.000 ppm 0.005 – 9.999 mg/m<sup>3</sup> -9.9° – 50°C 20 – 97 %

ppm, mg/m³, °C, 81 x 81 x 25

RH (%)



WS 1908 white







#### THERMO-/HYGROMETER WITH BAMBOO FRONT

For a healthy indoor climate – monitoring of temperature and air humidity

CASING ABS plastics, bamboo wood, battery operation, desktop model

DISPLAY/SIZE LCD, 74 x 52 mm

**OPERATION** press buttons

INSTRUMENTS

hygrometer, thermometer

indication of three different degrees of humidity (too dry, optimal, too damp); temperature indicator with MIN/MAX; air humidity indicator with MIN/MAX

UNITS TEMPERATURE/ SIZE IN MM HUMIDITY

> °C, °F, RH (%) 100 x 81 x 13



**FUNCTIONS** 

0°-50°C

20 - 95%



ADE

#### THERMO-/HYGROMETER WITH MOULD ALARM

On the safe side – mould warning at too-high air humidity

CASING ABS plastics, battery operation,

DISPLAY/SIZE LCD, 65 x 95 mm

OPERATION press buttons

INSTRUMENTS hygrometer, thermometer

**FUNCTIONS** visual mould alert; temperature and hygrometer indicator (indoor / memory); programmable upper / lower relative air humidity with alarm at too-high air humidity; 12-hour humidity record; dew point indicator: 0° – 50 °C;

desktop and wall mounted model

indication of five different degrees of humidity (too dry,

dry, optimal, damp, too damp)

TEMPERATURE/ HUMIDITY

UNITS SIZE IN MM

0°-50°C 20 - 95 % °C, °F, RH (%)

82 x 136 x 21





white



### **CLIMATE**

#### ANALOGUE THERMO- / HYGROMETER

Without battery – classic indoor temperature and humidity display

CASING brushed stainless steel, tempered glass, desktop and wall mounted model

DISPLAY/SIZE analogue, Ø 115 mm

INSTRUMENTS hygrometer, thermometer

**FUNCTIONS** humidity display; temperature display

TEMPERATURE/ UNITS SIZE IN MM

HUMIDITY

-30° -50°C °C, RH (%) 126 x 65 x 135

20 - 100%





#### ANALOGUE THERMO- / HYGROMETER

Without battery – classic indoor temperature and humidity display

CASING	ABS plastics with real wood frame, glass, desktop and wall mounted model
DISPLAY/SIZE	analogue 74 x 74 mm

INSTRUMENTS hygrometer, thermometer

FUNCTIONS humidity display; temperature display

TEMPERATURE/ HUMIDITY	UNITS	SIZE IN MM	
-30° – 50°C	°C, RH (%)	100 x 26 x 101	










# PINO, THE SLEEP COACH LEARNING BEDTIMES WITH FUN



I SNUUTJe LOW GERMAN FOR DARLING

snuutje.de



ade-germany.de



#### Distribution ADE HOME Waagen-Schmitt GmbH

Hammer Steindamm 27 – 29 · 22089 Hamburg · Germany Mail consumer@ade-germany.de Tel + 49 40 431359-0